## UPPER SAN PEDRO BASIN GEOPHYSICS

- Andreasen, G.E., Mitchell, C.M., and Tyson, N.S., 1965, Aeromagnetic map of Tombstone and vicinity, Cochise and Santa Cruz Counties, Arizona: U.S. Geological Survey Open-File Report (Geophysical Investigations Preliminary Map), 1 sheet, scale 1:125,000.
- Bisdorf, R.J., 1990, Geophysics electrical and seismic methods, *in* Peterson, J.A., ed., Preliminary mineral resource assessment of the Tucson and Nogales 1° by 2° quadrangles, Arizona: U.S. Geological Survey Open-File Report 90-276, p. 65-67.
- Bittson, A.G., 1976, Analysis of gravity data from the Cienega Creek area, Pima and Santa Cruz Counties, Arizona: Tucson, University of Arizona, M.S. thesis, 76 p., 5 sheets, scale 1:62,500.
- Bultman, M.W., Gettings, M.E., and Wynn, Jeff, 2002, An interpretation of the 1997 airborne electromagnetic (AEM) survey, Fort Huachuca vicinity, Cochise County, Arizona: U.S. Geological Survey Open-File Report 99-7-b, CD-ROM.
- Cooper, J.R., and Silver, L.T., 1964, Geology and ore deposits of the Dragoon quadrangle, Cochise County, Arizona: U.S. Geological Survey Professional Paper 416, 196 p., 13 sheets, scales 1:600, 1:1,200, 1:2,400, 1:4,800, 1:12,000, 1:31,680, 1:125,000.
- Dempsey, W.J., Fackler, W.D., and others, 1963, Aeromagnetic map of the Dragoon quadrangle, Cochise County, Arizona: U.S. Geological Survey Geophysical Investigations Map GP-412, 1 sheet, scale 1:62,500.
- Fleming, J.B., Pool, D.R., and Blaylock, M., 2001, Geophysical investigations of shallow structure and lithology to aid in characterization of stream-aquifer interactions in the Upper San Pedro River Basin [abs.], in Annual Symposium, 14th, September 12-15, 2001, Proceedings: Arizona Hydrologic Society, p. 88-89.
- Force, E. R., 1996, The Bisbee Group of the Tombstone Hills, southeastern Arizona; stratigraphy, structure, metamorphism, and mineralization: U. S. Geological Survey Bulletin 2042-B, 22 p.
- Gettings, M.E., and Houser, B.B., 1995, Preliminary results of modeling the gravity anomaly field in the upper San Pedro basin, southeastern Arizona: U.S. Geological Survey Open-File Report 95-76, 9 p., 5 sheets, scale 1:125,000.
- Gettings, M. E. and Houser, B.B., 2000, Depth to bedrock in the Upper San Pedro Valley, Cochise County, southeastern Arizona: Open-File Report 00-138, 39 p.
- Hahman, W.R., Sr., 1981, Geothermal resource potential for a portion of the San Pedro River Valley, Arizona: Arizona Bureau of Geology and Mineral Technology Open-File Report 81-06, 59 p.
- Haynes, C. V., 1968, Preliminary report on the late Quaternary geology of the San Pedro Valley, Arizona, p. 79-96, *In* Titley, S. R. (ed.), Southern Arizona Guidebook III: Arizona Geological Society, Tucson, 354 p.
- Heylmun, E.B., 1978, Southeastern Arizona oil and gas possibilities: Oil and Gas Journal, v. 76, July 10, p. 176-177.
- Hiller, J.W., 1986, Seismic refraction study of the southeastern Arizona crust between Globe, Arizona and Cananea, Mexico: Tucson, University of Arizona, M.S. thesis, 177 p.
- Jahnke, Philip, 1994, Modeling of groundwater flow and surface/groundwater interaction for the San Pedro River Basin from Fairbank to Redington, Arizona: Tucson, University of Arizona, M.S. thesis, [variously paged].

- Klein, D.P., 1983, Geophysical maps of the Dragoon Mountains Roadless Area, Cochise County, Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1521-C, 1 sheet, scale 1:50,000.
- Luning, R.H., and Brouillard, L.A., 1982, National Uranium Resource Evaluation, Nogales quadrangle, Arizona: U.S. Department of Energy Report PGJ/F-130(82), 70 p., 6 microfiche, 16 sheets.
- Oppenheimer, J.M., 1980, Gravity modeling of the alluvial basins, southern Arizona: Tucson, University of Arizona, M.S. thesis, 81 p.
- Oppenheimer, J.M., and Sumner, J.S., 1980, Depth-to-bedrock map, Basin and Range province, Arizona: Tucson, University of Arizona, Department of Geosciences, Laboratory of Geophysics, 1 sheet, scale 1:1,000,000.
- Oppenheimer, J.M., and Sumner, J.S., 1981, Gravity modeling of the basins in the Basin and Range province, Arizona: Arizona Geological Society Digest, v. 13, p. 111-115, 1 sheet, scale 1:1,000,000.
- Peterson, Jocelyn A., ed., 1990, Preliminary mineral resource assessment of the Tucson and Nogales 1° by 2° quadrangles, Arizona: U.S. Geological Survey Open-File Report 90-0276, 134 p., 24 sheets, scale 1:250,000.
- Ponce, D.A., 1990, Geophysics gravity and magnetic methods, *in* Peterson, J.A., ed., Preliminary mineral resource assessment of the Tucson and Nogales 1° by 2° quadrangles, Arizona: U.S. Geological Survey Open-File Report 90-276, p. 41-56.
- Schreiner, R.A., 1988, Mineral investigation of the Muleshoe Study Area, Cochise and Graham Counties, Arizona: U.S. Bureau of Mines Report MLA 43-88, 24 p., 1 sheet, scale 1:62,500.
- Schwartzman, P.N., 1990, A hydrogeologic resource assessment of the lower Babocomari Watershed, Arizona: Tucson, University of Arizona, M.S. thesis, 212 p., 3 sheets.
- Smith, G.A., 1994, Climatic influences on continental deposition during late-stage filling of an extensional basin, southeastern Arizona: Geological Society of America Bulletin, v. 106, no. 9, p. 1212-1228.
- Spangler, D. P., 1969, A geophysical study of the hydrology of the Walnut Gulch Experimental Watershed, Tombstone, Arizona: Unpublished PhD Dissertation, Department of Geology, University of Arizona, Tucson, AZ, 103 p.
- Sumner, J.S., and Halvorson, P.F., 1983, Geophysical exploration surveys for ground water in the San Pedro Basin, Arizona: Research Project Technical Completion Report, A-108-ARIZ, 27 p.
- Texas Instruments, Inc., 1978, Aerial radiometric and magnetic reconnaissance survey of portions of Arizona-New Mexico Nogales quadrangle, v. 2-E: U.S. Department of Energy Report GJBX-23(79), 210 sheets, scale 1:500,000.
- Texas Instruments, Inc., 1978, Aerial radiometric and magnetic reconnaissance survey of portions of Arizona-New Mexico Tucson quadrangle, v. 2-C: U.S. Department of Energy Report GJBX-23(79), 215 sheets, scale 1:500,000.
- Tucci, Patrick, 1989, Geophysical methods for water-resources studies in southern and central Arizona, in Symposium on the Application of Geophysics to Engineering and Environmental Problems, Proceedings: Denver, Society of Engineering and Mineral Exploration Geophysicists, p. 368-383.
- Wynn, Jeff, 2001, Mapping groundwater in three dimensions: An analysis of the airborne geophysical surveys of the upper San Pedro River basin, Cochise County, southeastern Arizona, with an interpretation of where the groundwater lies: U.S. Geological Survey Open-File Report 00-517, 70 p., 2 sheets, scales 1:100,000 and 1:200,000.

Wynn, Jeff, and Gettings, Mark, 1997, A preliminary interpretation of the 1997 airborne electromagnetic (EM) survey over Fort Huachuca, Arizona, and the Upper San Pedro River basin: U.S. Geological Survey Open-File Report 96-651, 42 p.

## **Statewide Geophysics References**

- Aiken, C.L.V., 1976, The analysis of the gravity anomalies of Arizona: Tucson, University of Arizona, Ph.D. dissertation, 127 p. [Abstract in Dissertation Abstracts International, v. 37, p. 4946B, 1977].
- Aiken, C.L.V., Lysonski, J.C., Sumner, J.S., and Hahman, W.R., Sr., 1981, A series of 1:250,000 complete residual Bouguer gravity anomaly maps of Arizona: Arizona Geological Society Digest, v. 13, p. 31-37.
- Bond, K.R., and Zietz, Isidore, 1987, Composite magnetic anomaly map of the conterminous United States west of 96° longitude: U.S. Geological Survey Geophysical Investigations Map GP-977, 13 p., 2 sheets, scale 1:2,500,000.
- Diment, W.H., and Urban, T.C., 1981, Average elevation of the conterminous United States (Gilluly averaging method): U.S. Geological Survey Geophysical Investigations Map GP-0933, 2 sheets, scale 1:2,500,000.
- Hendricks, J.D., and Plescia, J.B., 1991, A review of the regional geophysics of the Arizona Transition Zone: Journal of Geophysical Research, v. 96, no. B7, p. 12,351-12,373.
- Hildenbrand, T.G., Simpson, R.W., Godson, R.H., and Kane, M.F., 1982, Digital colored residual and regional Bouguer gravity maps of the conterminous United States with cut-off wavelengths of 250 km and 1000 km: U.S. Geological Survey Geophysical Investigations Map GP-953A, 2 sheets, scale 1:7,500,000.
- Hildenbrand, T.G., Simpson, R.W., Godson, R.H., and Kane, M.F., 1982, Digital colored residual and regional Bouguer gravity maps of the conterminous United States: U.S. Geological Survey Open-File Report 82-284, 31 p.
- Hildenbrand, T.G., Simpson, R.W., Godson, R.H., and Kane, M.F., 1987, Digital colored Bouguer gravity, free-air gravity, station location, and terrain maps for the conterminous United States: U.S. Geological Survey Geophysical Investigations Map GP-953B, 2 sheets, scale 1:7,500,000.
- Lysonski, J.C., 1980, The IGSN 71 residual Bouguer gravity anomaly map of Arizona: Tucson, University of Arizona, M.S. thesis, 74 p., 1 sheet, scale 1:500,000.
- Lysonski, J.C., Aiken, C.L.V., and Sumner, J.S., 1981, The complete residual Bouguer gravity anomaly map [of Arizona]: Arizona Bureau of Geology and Mineral Technology Open-File Report 81-24, 2 p., 23 sheets, scale 1:250,000.
- Lysonski, J.C., and Sumner, J.S., 1981, Free-air gravity anomaly map of Arizona: Tucson, University of Arizona, Department of Geosciences, Laboratory of Geophysics, 1 sheet, scale 1:1,000,000.
- Lysonski, J.C., and Sumner, J.S., 1981, Free-air gravity anomaly map of Arizona: Tucson, University of Arizona, Department of Geosciences, Laboratory of Geophysics, 1 sheet, scale 1:500,000.
- Lysonski, J.C., Sumner, J.S., Aiken, C.L.V., and Schmidt, J.S., 1980, The complete residual Bouguer gravity anomaly map of Arizona (IGSN 71): Arizona Bureau of Geology and Mineral Technology Open-File Report 80-15, 1 sheet, scale 1:1,000,000.

- Lysonski, J.C., Sumner, J.S., Aiken, C.L.V., and Schmidt, J.S., 1980, Residual Bouguer gravity anomaly map of Arizona: Tucson, University of Arizona, Department of Geosciences, Laboratory of Geophysics, 1 sheet, scale 1:1,000,000.
- Lysonski, J.C., Sumner, J.S., Aiken, C.L.V., and Schmidt, J.S., 1980, Residual Bouguer gravity anomaly map of Arizona: Tucson, University of Arizona, Department of Geosciences, Laboratory of Geophysics, 1 sheet, scale 1:500,000.
- McGinnis, L.D., Wolf, M.G., Kohsmann, J.J., and Ervin, C.P., 1979, Regional free-air gravity anomalies and tectonic observations in the United States: Journal of Geophysical Research, v. 84, no. B2, p. 591-601.
- Saltus, R.W., 1982, A description of Bouguer anomaly and isostatic residual colored gravity maps of the southwestern Cordillera: U.S. Geological Survey Open-File Report 82-839, 8 p.
- Saltus, R.W., and Jachens, R.C., 1995, Gravity and basin-depth maps of the Basin and Range Province, western United States: U.S. Geological Survey Geophysical Investigations Map GP-1012, 1 sheet, scale 1:2,500,000.
- Sauck, W.A., 1972, Compilation and preliminary interpretation of the Arizona aeromagnetic map: Tucson, University of Arizona, Ph.D. dissertation, 147 p.
- Sauck, W.A., and Sumner, J.S., 1970, Residual aeromagnetic map of Arizona: Tucson, University of Arizona, Department of Geosciences, 1 sheet, scale 1:1,000,000.
- Schmidt, J.S., 1976, Geophysical basis and cartography of the complete Bouguer gravity anomaly map of Arizona: Tucson, University of Arizona, M.S. thesis, 55 p.
- Schmucker, U., 1964, Anomalies of geomagnetic variation in the southwestern United States: Journal of Geomagnetism and Geoelectricity, v. 15, p. 193-221.
- Simpson, R.W., Jachens, R.C., Blakely, R.J., and Saltus, R.W., 1986, A new isostatic residual gravity map of the conterminous United States with a discussion on the significance of isostatic residual anomalies: Journal of Geophysical Research, v. 91, no. B8, p. 8348-8372.
- Simpson, R.W., Jachens, R.C., Saltus, R.W., and Blakely, R.J., 1986, Isostatic residual gravity, topographic, and first-vertical-derivative gravity maps of the conterminous United States: U.S. Geological Survey Geophysical Investigations Map GP-975, 2 sheets, scale 1:7,500,000.
- Stewart, J.H., 1978, Basin-Range structure in western North America: A review, in Smith, R.B., and Eaton, G.P., eds., Cenozoic tectonics and regional geophysics of the western Cordillera: Geological Society of America Memoir 152, p. 1-31.
- Stover, C.W., 1986, Seismicity map of the conterminous United States and adjacent areas, 1975-1984: U.S. Geological Survey Geophysical Investigations Map GP-984, 1 sheet, scale 1:5,000,000.
- Sumner, J.S., 1965, Gravity measurements in Arizona: Eos, Transactions, American Geophysical Union, v. 46, p. 560-563.
- Sumner, J.S., 1989, Regional geophysics of Arizona, in Jenney, J.P., and Reynolds, S.J., eds., Geologic evolution of Arizona: Arizona Geological Society Digest 17, p. 717-739.
- Sumner, J.S., Schmidt, J.S., and Aiken, C.L.V., 1976, Free-air gravity anomaly map of Arizona, in Wilt, J.C., and Jenney, J.P., eds., Tectonic digest: Arizona Geological Society Digest, v. 10, p. 7-12, 1 sheet, scale 1:1,000,000.
- Thompson, G.A., and Burke, D.B., 1974, Regional geophysics of the Basin and Range province: Annual Review of Earth and Planetary Sciences, v. 2, p. 213-237.
- West, R.E., 1972, A regional Bouguer gravity anomaly map of Arizona: Tucson, University of Arizona, Ph.D. dissertation, 186 p.

Geophysics Draft April 20, 2006

West, R.E., and Sumner, J.S., 1973, Regional Bouguer gravity map of Arizona: Tucson, University of Arizona, Department of Geosciences, Laboratory of Geophysics, 1 sheet, scale 1:1,000,000. Woollard, G.P., and Joesting, H.R., 1964, Bouguer gravity anomaly map of the United States, exclusive of Alaska and Hawaii: American Geophysical Union and U.S. Geological Survey Special Map, 2 sheets, scale 1:2,500,000.